

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"529925".apn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/02 08:49
S2	2	"20020015384"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/02 09:39
S3	41	(Hideki near Fujioka).IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/02 09:20
S4	37	((DAI) near2 (KAMIYA)).INV.	US-PGPUB; USPAT	OR	ON	2008/05/02 09:42
S5	144	((KAZUHIRO) near2 (YAMADA)).INV.	US-PGPUB; USPAT	OR	ON	2008/05/02 09:39
S6	172	((TAKASHI) near2 (KONDO)). INV.	US-PGPUB; USPAT	OR	ON	2008/05/02 09:48
S7	2	"20030060189"	US-PGPUB; USPAT	OR	ON	2008/05/02 09:42
S8	3991807	@ad<="20020930"	US-PGPUB; USPAT	OR	ON	2008/05/02 09:58
S9	12979	709/219.ccls. 709/223.ccls. 726/12.ccls. 726/13.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/02 10:15
S10	8098	S9 AND S8	US-PGPUB; USPAT	OR	ON	2008/05/06 09:23
S11	7	(firewall ADJ device).TI.	US-PGPUB; USPAT	OR	ON	2008/05/02 10:19
S12	104	(terminal client) SAME (server host) SAME (firewall relay proxy) SAME ((application program) near5 (information type version)) AND S10	US-PGPUB; USPAT	OR	ON	2008/05/02 10:31
S13	8137	(mobile cell pda terminal) SAME (server host) SAME (firewall relay proxy) SAME ((application program) near5 (information type version)) SAME (download\$4) S10	US-PGPUB; USPAT	OR	ON	2008/05/02 10:34

S14	4	(mobile cell pda terminal) SAME (server host) SAME (firewall relay proxy) SAME ((application program software) near5 (information type version) SAME (download \$4)) AND S10	US-PGPUB; USPAT	OR	ON	2008/05/02 10:40
S15	1424	(NTT near DOCOMO).AS.	US-PGPUB; USPAT	OR	ON	2008/05/02 10:45
S16	11	(US-20070143444-\$ or US-20020015384-\$ or US-20030060189-\$ or US-20020002605-\$ or US-20020091797-\$).did. or (US-6658472-\$ or US-7359933-\$ or US-7356839-\$ or US-5991810-\$ or US-7363354-\$).did. or (JP-2000099476-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2008/05/02 10:44
S17	1	"7363354".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/05 13:11
S18	12	("20010056462"   "20020046236"   "20020068554"   "20020123335"   "20030084177"   "5832505"   "6112244"   "6275693"   "6292668"   "6643690"   "6657956"   "6826603").PN. OR ("7363354").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/05 13:31
S19	7	"20020015384" "5991810".pn. "7356839".pn. "20030060189" "7363354".pn. "20020002605"	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/05 13:32
S20	1	S19 AND (predetermined with time)	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/05 14:29
S21	1	"7363354".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/05 14:29
S22	11	(US-20070143444-\$ or US-20020015384-\$ or US-20030060189-\$ or US-20020002605-\$ or US-20020091797-\$).did. or (US-7363354-\$ or US-7359933-\$ or US-7356839-\$ or US-5991810-\$ or US-6658472-\$).did. or (JP-2000099476-\$).did.	US-PGPUB; USPAT; JPO	OR	ON	2008/05/06 09:20
S23	2	S22 AND (predetermined WITH time)	US-PGPUB; USPAT; JPO	OR	ON	2008/05/06 09:20
S24	3992102	@ad<="20020930"	US-PGPUB; USPAT	OR	ON	2008/05/06 09:23
S25	13003	709/219.ccls. 709/223.ccls. 726/12.ccls. 726/13.ccls.	US-PGPUB; USPAT	OR	ON	2008/05/06 09:23

S26	8105	S25 AND S24	US-PGPUB; USPAT	OR	ON	2008/05/06 09:23
S27	8105	S26	US-PGPUB; USPAT	OR	ON	2008/05/06 09:24
S28	127072	(activat\$4 near\$ time\$2)	US-PGPUB; USPAT	OR	ON	2008/05/06 09:25
S29	562710	((activat\$4 set\$4) near\$ time \$2)	US-PGPUB; USPAT	OR	ON	2008/05/06 09:31
S30	2041	S29 AND S27	US-PGPUB; USPAT	OR	ON	2008/05/06 09:26
S31	67898	(user with (activat\$4 set\$4) with time\$2)	US-PGPUB; USPAT	OR	ON	2008/05/06 09:32
S32	787	S31 AND S27	US-PGPUB; USPAT	OR	ON	2008/05/06 10:33
S33	8144	(mobile cell pda terminal) SAME (server host) SAME (firewall relay proxy) SAME ((application program) near\$ (information type version)) SAME (download\$4) S26	US-PGPUB; USPAT	OR	ON	2008/05/06 10:33
S34	787	S33 AND S32	US-PGPUB; USPAT	OR	ON	2008/05/06 10:42
S35	315	(user with timer with session)	US-PGPUB; USPAT	OR	ON	2008/05/06 10:43
S36	12	S35 AND S25	US-PGPUB; USPAT	OR	ON	2008/05/06 10:43
S37	707264	"49" AND S24	US-PGPUB; USPAT	OR	ON	2008/05/06 10:43
S38	3	S36 AND S24	US-PGPUB; USPAT	OR	ON	2008/05/06 11:00
S39	1576	(application) WITH (parameters information data) WITH (timer)	US-PGPUB; USPAT	OR	ON	2008/05/06 11:01
S40	47	S39 AND S25	US-PGPUB; USPAT	OR	ON	2008/05/06 11:01
S41	28	S40 AND S24	US-PGPUB; USPAT	OR	ON	2008/05/06 11:01
S42	1	10/529925	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/06 17:51
S43	15896	709/203.ccls. 709/227.ccls. 709/228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:35
S44	4348773	@ad<="20020930" @riad<="20020930"	US-PGPUB; USPAT	OR	ON	2009/01/07 15:36

S45	11173	S43 AND S44	US-PGPUB; USPAT	OR	ON	2009/01/07 15:36
S46	13	(determin\$4 check\$3 verify\$3) WITH (terminal phone device) WITH (enabled (set ADJ up) allowed capable) WITH (JAVA)	US-PGPUB; USPAT	OR	ON	2009/01/07 15:37
S47	22	(determin\$4 check\$3 verify\$3) WITH (terminal phone device) WITH (enabled set allowed capable activated) WITH (JAVA)	US-PGPUB; USPAT	OR	ON	2009/01/07 15:38
S48	1	S47 AND S43	US-PGPUB; USPAT	OR	ON	2009/01/07 15:38
S49	1	"20020015384"	US-PGPUB; USPAT	OR	ON	2009/01/07 15:44
S50	14	S47 AND S44	US-PGPUB; USPAT	OR	ON	2009/01/07 15:45
S51	4720	(relay\$3) WITH (server) WITH (client terminal phone)	US-PGPUB; USPAT	OR	ON	2009/01/07 15:47
S52	342	S51 AND S45	US-PGPUB; USPAT	OR	ON	2009/01/07 15:47
S53	15	(relay\$3) WITH (communication) WITH (pre- determined pre-configured)	US-PGPUB; USPAT	OR	ON	2009/01/07 15:48
S54	21	(read\$3) WITH (header) WITH (JAVA)	US-PGPUB; USPAT	OR	ON	2009/01/07 15:50
S56	144	(router relay proxy) WITH (regulation rules parameters) WITH (communicate download use) WITH (server)	US-PGPUB; USPAT	OR	ON	2009/01/07 15:53
S58	230	(router relay proxy) WITH (regulation rules parameters settings) WITH (communicate download use) WITH (server)	US-PGPUB; USPAT	OR	ON	2009/01/07 15:53
S59	23	S58 AND S45	US-PGPUB; USPAT	OR	ON	2009/01/07 15:54
S60	418	(client terminal mobile phone) SAME (stor\$3) SAME (application program) SAME (communicate) SAME (server) SAME (JAVA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:58
S61	238	S60 AND S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:58

S62	31	S60 AND S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 15:59
S63	893	(relay router) WITH (request) WITH (application software program) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:04
S64	213416	(storage memory) WITH (stor \$4 sav\$4) WITH (predetermined preconfigured)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:05
S65	54	S63 AND S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:05
S66	7	S65 AND (JAVA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:06
S67	5	(relay router gateway) WITH (stor\$4 sav\$4) WITH (predetermined preconfigured) WITH (conditions settingsn parameters) WITH (application program) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:19
S68	16	(relay router gateway) WITH (stor\$4 sav\$4) WITH (predetermined preconfigured) WITH (conditions settingsn parameters) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:20
S69	26	(relay router gateway) WITH (stor\$4 sav\$4) WITH (predetermined preconfigured) WITH (conditions settings parameters) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:21
S70	22	(relay router gateway) WITH (stor\$4 sav\$4) WITH (predetermined preconfigured) WITH (conditions settings parameters) WITH (request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:21

S71	8	S70 AND S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 16:24
S72	1	10/529925	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/07 19:02
S73	2	"20070118629"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 10:56
S74	2	"5946464".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:44
S75	2	"6085222".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:45
S76	128	(check\$3 verif\$4) WITH (JAVA) WITH (enabled downloaded)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:48
S77	4349114	@ad<="20020930" @rlad<="20020930"	US-PGPUB; USPAT	OR	ON	2009/01/08 15:48
S78	102	S76 AND S77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:48
S79	52	(check\$3 verif\$4) WITH (JAVA) WITH (enabled downloaded) WITH (client user terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:50
S80	55	(check\$3 verif\$4) WITH (JAVA) WITH (enabled downloaded) WITH (client user terminal phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:50

S81	50	S80 AND S77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:50
S82	1	(relay gateway) WITH (check \$3 verify\$3) WITH (client) WITH (enabled able capable) WITH (communicating interacting) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:53
S83	23	(relay gateway) WITH (check \$3 verify\$3) WITH (client) WITH (application) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 15:54
S84	0	(relay gateway) WITH (check \$3 verify\$3) WITH (client) WITH (application) WITH (server) WITH (requirements)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:45
S85	11	(relay gateway) SAME (check \$3 verify\$3) SAME (client) SAME (software application) SAME (server) SAME (requirements)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:46
S86	1	(relay gateway) WITH (check \$3 verify\$3) WITH (client) WITH (software application) WITH (software application executable) WITH (run execute) WITH (application program software) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:51
S87	209	(check\$3 verify\$3) WITH (terminal phone client) WITH (software application) WITH (software application executable) WITH (run execute) WITH (application program software) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:52
S88	4349114	@ad<="20020930" @riad<="20020930"	US-PGPUB; USPAT	OR	ON	2009/01/08 17:52
S89	99	S87 AND S88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:52

S90	15924	709/203.ccls. 709/227.ccls. 709/228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/08 17:59
S91	17	S89 AND S90	US-PGPUB; USPAT	OR	ON	2009/01/08 17:59
S92	7	(relay proxy router switch) WITH (check\$3 verify\$3) WITH (terminal phone client) WITH (software application) WITH (software application executable) WITH (run execute) WITH (application program software) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 16:35
S93	0	(relay gateway) WITH (check \$3 verify\$3) WITH (client user terminal phone) WITH (capable enabled able) WITH (software application executable) WITH (run execute) WITH (application program software) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 16:42
S94	1	(relay gateway) WITH (check \$3 verify\$3) WITH (client user terminal phone) WITH (capable enabled able) WITH (run execute) WITH (application program software) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 16:42
S95	881	(client user terminal phone) WITH (capable enabled able) WITH (run execute) WITH (application program software) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 16:43
S96	160	((client user terminal phone) WITH (capable enabled able) WITH (run execute) WITH (application program software) WITH (server)) SAME (JAVA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 16:44
S97	15924	709/203.ccls. 709/227.ccls. 709/228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 16:44
S98	10	S96 AND S97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 16:44



S99	1	(gateway) WITH (check\$3) WITH (client user terminal) WITH (executable) WITH (application program software) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 16:48
S100	88	(router proxy gateway gw) SAME (check\$3) SAME (client user terminal) SAME (executable) SAME (application program software) SAME (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 16:49
S101	4349114	@ad<="20020930" @rlad<="20020930"	US-PGPUB; USPAT	OR	ON	2009/01/09 16:49
S102	37	S100 AND S101	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 16:49
S103	27	S102 AND (JAVA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 16:50
S104	61	(check\$3 sees) WITH (client user terminal) WITH (executable) WITH (application program software) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 17:00
S105	33	S104 AND S101	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 17:00
S106	350	(check\$3 verify\$3) WITH (client terminal user) WITH (JAVA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 17:02
S107	63	(check\$3 verify\$3) WITH (client terminal user) WITH (run\$4 capable executable able) WITH (JAVA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 17:02
S108	1312	(gateway (switching ADJ2 center)) WITH (control\$3 communicat\$3) WITH (terminal client phone user) WITH (server) WITH (applications)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 17:10

S109	511	S108 AND S101	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 17:11
S110	0	(gateway (switching ADJ2 center)) WITH (check\$3 verify \$3) WITH (client phone terminal) WITH (JAVA) WITH (enable capable able)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 17:12
S111	1	(gateway (switching ADJ2 center)) WITH (check\$3 verify \$3) WITH (client phone terminal) WITH (JAVA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 17:13
S112	2536	(gateway (switching ADJ2 center)) WITH (control\$4 manipul\$4) WITH (communication interaction) WITH (client phone terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 17:14
S113	652	(gateway (switching ADJ2 center)) WITH (control\$4 manipul\$4) WITH (communication interaction) WITH (client phone terminal) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 17:14
S114	280	S113 AND S101	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 17:14
S115	22	S114 AND S97	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 17:14
S116	18	(relay ADJ switching ADJ center)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 17:35
S117	0	(switching ADJ center) WITH (check\$3 verif\$4) WITH (cell phone terminal) WITH (JAVA) with (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 17:42

S118	170	(switching ADJ center) WITH (check\$3 verif\$4) WITH (cell phone terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 17:42
S119	20	(switching ADJ center) WITH (check\$3 verif\$4) WITH (cell phone terminal) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 17:42
S120	7	S119 AND S101	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/09 17:42
S121	1	10/529925	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 14:00
S122	0	11/039000	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 14:01
S123	2	"20040039801"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 14:07
S124	1397	(gateway intermediate proxy) WITH (determin\$3) WITH (device phone terminal) WITH (process\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 14:29
S125	210	(gateway intermediate proxy) WITH (determin\$3) WITH (device phone terminal) WITH (process\$3) WITH (request)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 14:29
S126	4349114	@ad<="20020930" @rlad<="20020930"	US-PGPUB; USPAT	OR	ON	2009/01/12 14:30
S127	98	S125 AND S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/12 14:30

S128	11	("5594921"   "5790800"   "5809415"   "6018770"   "6138158"   "6141690"   "6173316"   "6226678"   "6247048").PN. OR ("7010603").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/12 15:10
S129	0	S128 AND (java adj enabled)	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/12 15:10
S130	1596	(java adj enabled)	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/12 15:10
S131	21	(check\$3) WITH (java adj enabled)	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/12 15:10
S132	290	(check\$3) WITH (cookie) WITH (request)	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/12 15:30
S133	175	S132 AND S126	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/12 15:30
S134	7	((check\$3) WITH (cookie) WITH (request)) SAME (java)	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/12 15:31
S135	6	(alternat\$3) WITH (way) WITH (request) WITH (application program module) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:09
S136	4349622	@ad<="20020930" @rlad<="20020930"	US-PGPUB; USPAT	OR	ON	2009/01/13 14:09
S137	2	S135 AND S136	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:09
S138	0	((second alternative) WITH (activat\$3) WITH (server)) SAME bug	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:10
S139	16	((second alternative) WITH (activat\$3) WITH (server)) SAME error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:10
S140	203	(stop\$3) WITH (fault loop error) WITH (access) WITH (application program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:14

S141	15945	709/203.ccls. 709/227.ccls. 709/228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:16
S142	24	S140 AND S141	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:16
S143	0	(prevent\$3) WITH (client terminal user) WITH (server) WITH (endlessly infinitely)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:21
S144	13	(prevent\$3) WITH (client terminal user) WITH (server) WITH (bug)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:21
S145	120	(java ADJ application ADJ manager)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:26
S146	26	S145 AND S136	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:27
S147	11	((fix\$3 correct\$3) WITH bug) AND S146	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:27
S148	0	((fix\$3 correct\$3) WITH bug) AND S146	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:28
S149	4637	((fix\$3 correct\$3) WITH bug)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:28

S150	0	((fix\$3 correct\$3) WITH bug WITH activation WITH application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:29
S151	10	((fix\$3 correct\$3) SAME bug SAME activation SAME application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:29
S152	6	(table) WITH (different) WITH (activation) WITH (applications)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:32
S153	761	(different) WITH (activation) WITH (applications)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:32
S154	10	S153 AND S141	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 14:33
S155	492	(relay router station gateway) SAME (database table) SAME (second alternat\$3) SAME (activation implementation) SAME (application program module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:28
S156	187	(relay router station gateway) SAME (database table) SAME (second alternat\$3) SAME (activation implementation) SAME (application program module) SAME (client user phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:28
S157	4349622	@ad<="20020930" @rlad<="20020930"	US-PGPUB; USPAT	OR	ON	2009/01/13 21:29
S158	113	S156 AND S157	US-PGPUB; USPAT	OR	ON	2009/01/13 21:29
S159	1	(relay router station gateway) with (database table) with (second alternat\$3) with (activation implementation) with (application program module) with (client user phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:30

S160	6	(relay router station gateway) with (database table) with (second alternat\$3) with (activation implementation) with (application program module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:30
S161	81	(relay router station gateway) with (database table) with (second alternat\$3) with (communication way) with (application program module) with (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:33
S162	30	S161 AND S157	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:34
S163	1760	(second alternat\$3) WITH (server) WITH (game)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:40
S164	3	(table database) WITH (information attributes) WITH (connect communicate) WITH (second alternat\$3) WITH (server) WITH (game)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:41
S165	187	(table database) WITH (information attributes) WITH (connect communicate) WITH (second alternat\$3) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:42
S166	7	(gateway relay) WITH (table database) WITH (information attributes) WITH (connect communicate) WITH (second alternat\$3) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:42
S167	13	(gateway relay station) WITH (table database) WITH (information attributes) WITH (connect communicate) WITH (second alternat\$3) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:43
S168	5	(gateway relay station) WITH (table database) WITH (information attributes) WITH (connect communicate) WITH (second alternat\$3) WITH (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:43

S169	2	(gateway relay router) WITH (table database storage memory) WITH (information attributes) WITH (connect communicate) WITH (second alternat\$3) WITH (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:45
S170	12	(gateway relay router) WITH (table database storage memory) WITH(connect communicate) WITH (second alternat\$3) WITH (application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:46
S171	159	(gateway relay router) WITH (table database storage memory) WITH (second alternat\$3) WITH (application) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:47
S172	0	((gateway relay router) WITH (table database storage memory) WITH (second alternat\$3) WITH (application) WITH (server)) SAME (bug)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:48
S173	4	((gateway relay router) WITH (table database storage memory) WITH (second alternat\$3) WITH (application) WITH (server)) SAME (error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:48
S174	87163	(gateway relay router) WITH (table database storage memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:49
S175	36344	S174 AND S157	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:49
S176	221	(gateway relay router) WITH (table database storage memory) WITH (second alternat\$3) WITH (application game program) WITH (server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:50
S177	97	S176 AND S157	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:50



S178	15945	709/203.ccls. 709/227.ccls. 709/228.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:51
S179	18	S177 AND S178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:51
S180	9	S179 AND (loop error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/13 21:56
S181	0	"20070143444" AND (decreas \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 19:14
S182	5	"2007014344"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 19:16
S183	1	S182 AND (amount)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 19:17
S184	0	10/529925.apn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 19:18
S185	1	10/529925	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 19:18
S186	1	S185 AND (amount)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/26 19:18

S187	3	"20050010643"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/27 16:29
S188	1456	(relay gateway server) WITH (control\$3) WITH (amount) WITH (data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/27 19:46
S189	4374715	@ad<="20020930" @rlad<="20020930"	US-PGPUB; USPAT	OR	ON	2009/08/27 19:47
S190	547	S188 AND S189	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/27 19:47
S191	337	(gateway device relay) WITH (decreas\$3 reduc\$3 minimiz \$3) WITH (load amount data) WITH (transmitted communicated) WITH (server)	US-PGPUB; USPAT	OR	ON	2009/08/28 00:15
S192	4374715	@ad<="20020930" @rlad<="20020930"	US-PGPUB; USPAT	OR	ON	2009/08/28 00:16
S193	108	S191 AND S192	US-PGPUB; USPAT	OR	ON	2009/08/28 00:16
S194	44	S193 AND ("709"/\$3.ccls.)	US-PGPUB; USPAT	OR	ON	2009/08/28 00:17
S195	6	(gateway device relay) WITH (decreas\$3 reduc\$3 minimiz \$3) WITH (load amount data) WITH (transmitted communicated) WITH (server) WITH (excessive high peak max maximum threshold)	US-PGPUB; USPAT	OR	ON	2009/08/28 00:18
S196	1	S195 AND S192	US-PGPUB; USPAT	OR	ON	2009/08/28 00:18
S197	337	(gateway device relay) WITH (decreas\$3 reduc\$3 minimiz \$3) WITH (load amount data) WITH (transmitted communicated) WITH (server)	US-PGPUB; USPAT	OR	ON	2009/08/28 00:19
S198	108	S197 AND S192	US-PGPUB; USPAT	OR	ON	2009/08/28 00:19
S199	44	S198 AND S194	US-PGPUB; USPAT	OR	ON	2009/08/28 00:19
S200	0	(gateway device relay) WITH (decreas\$3 reduc\$3 minimiz \$3) WITH (load amount) WITH (data) WITH (transmitted communicated) WITH (server) WITH (peak)	US-PGPUB; USPAT	OR	ON	2009/08/28 00:20

S201	0	(decreas\$3 reduc\$3 minimiz \$3) WITH (load amount) WITH (data) WITH (transmitted communicated) WITH (server) WITH (peak)	US-PGPUB; USPAT	OR	ON	2009/08/28 00:21
S202	1	(decreas\$3 reduc\$3 minimiz \$3) WITH (data) WITH (transmitted communicated) WITH (server) WITH (peak)	US-PGPUB; USPAT	OR	ON	2009/08/28 00:21
S203	52	(decreas\$3 reduc\$3 minimiz \$3) SAME (data) WITH (sent transmitted communicated) SAME (server) SAME (peak)	US-PGPUB; USPAT	OR	ON	2009/08/28 00:21
S204	29	S203 AND S192	US-PGPUB; USPAT	OR	ON	2009/08/28 00:21
S205	52	(gateway server) SAME (decreas\$3 reduc\$3 minimiz \$3) SAME (data) WITH (sent transmitted communicated) SAME (server) SAME (peak)	US-PGPUB; USPAT	OR	ON	2009/08/28 00:22
S206	1	S205 AND S191	US-PGPUB; USPAT	OR	ON	2009/08/28 00:22
S207	29	S205 AND S192	US-PGPUB; USPAT	OR	ON	2009/08/28 00:22
S208	31	(gateway device relay) WITH (decreas\$3 reduc\$3 minimiz \$3) WITH (server) WITH (peak)	US-PGPUB; USPAT	OR	ON	2009/08/28 00:25
S209	0	S208 AND S194	US-PGPUB; USPAT	OR	ON	2009/08/28 00:25
S210	8	S208 AND S192	US-PGPUB; USPAT	OR	ON	2009/08/28 00:25
S211	166	(gateway device relay) WITH (decreas\$3 reduc\$3 minimiz \$3) WITH (load amount) WITH (data) WITH (transmitted communicated) WITH (server)	US-PGPUB; USPAT	OR	ON	2009/08/28 00:25
S212	31	S211 AND S192	US-PGPUB; USPAT	OR	ON	2009/08/28 00:26
S213	0	((gateway device relay) WITH (decreas\$3 reduc\$3 minimiz \$3) WITH (load amount) WITH (data) WITH (transmitted communicated) WITH (server)) SAME (peak overload)	US-PGPUB; USPAT	OR	ON	2009/08/28 00:30
S214	0	((gateway device relay) WITH (decreas\$3 reduc\$3 minimiz \$3) WITH (load amount) WITH (transmitted communicated) WITH (server)) SAME (peak overload)	US-PGPUB; USPAT	OR	ON	2009/08/28 00:31

S215	258	((gateway device relay) WITH (decreas\$3 reduc\$3 minimiz \$3) WITH (load amount) WITH (transmitted communicated sent) WITH (server))	US-PGPUB; USPAT	OR	ON	2009/08/28 00:31
S216	1	((gateway device relay) WITH (decreas\$3 reduc\$3 minimiz \$3) WITH (load amount) WITH (transmitted communicated sent) WITH (server)) SAME (overload theshold peak)	US-PGPUB; USPAT	OR	ON	2009/08/28 00:32
S217	52	((gateway device relay) WITH (decreas\$3 reduc\$3 minimiz \$3) WITH (poll\$3 requests) WITH (transmitted communicated sent) WITH (server))	US-PGPUB; USPAT	OR	ON	2009/08/28 00:36
S218	17	S217 AND S192	US-PGPUB; USPAT	OR	ON	2009/08/28 00:36
S219	26	(gateway device relay) WITH (prevent\$3 stop\$4) WITH (Server) WITH (overload\$3)	US-PGPUB; USPAT	OR	ON	2009/08/28 00:54
S220	5	S219 AND S192	US-PGPUB; USPAT	OR	ON	2009/08/28 00:54
S221	767	(relay server proxy) WITH (regulat\$3 control\$4 manag\$3) WITH (data requests communication) WITH (server) WITH (threshold overload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 17:49
S222	4374715	@ad<="20020930" @rlad<="20020930"	US-PGPUB; USPAT	OR	ON	2009/08/28 17:50
S223	228	S221 AND S222	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 17:50
S224	96	S223 AND "709"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:20
S225	161	(relay server proxy) WITH (decreas\$3 slow\$3 minimiz\$3) WITH (data requests communication) WITH (server) WITH (threshold overload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:23

S226	4	S224 AND S225	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:23
S227	296	(relay server proxy) WITH (decreas\$3 slow\$3 minimiz\$3 reduc\$3 subtract\$3) WITH (data requests communication) WITH (server) WITH (threshold overload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:23
S228	66	S227 AND S221	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:24
S229	17	S228 AND S222	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:24
S230	98	S227 AND S222	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:28
S231	62	S230 AND "709"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:28
S232	62	S230 AND "709"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:28
S233	102	(relay server proxy manager director) WITH (decreas\$3 slow \$3 minimiz\$3 reduc\$3 subtract \$3) WITH (data requests communication) WITH (server) WITH (threshold overload) WITH (clients)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:29
S234	4	S233 AND S224	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:29

S235	32	S233 AND S222	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:29
S236	4	S235 AND S224	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:29
S237	23	S235 AND "709"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:30
S238	160	(relay server proxy) WITH (regulat\$3 control\$4 manag\$3) WITH (data requests communication) WITH (server) WITH (threshold overload peak) WITH (clients)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:53
S239	17	S238 AND S227	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:54
S240	4	S239 AND S222	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 18:54
S241	25	(relay server proxy) WITH (regulat\$3 control\$4 manag\$3) WITH (data requests communication) WITH (sent transmitted) WITH (clients) WITH (server) WITH (threshold overload peak)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 20:11
S242	10	S241 AND S222	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 20:11
S243	860	(relay server proxy) WITH (prevent\$3 stop\$4) WITH (server) WITH (threshold overload\$3 peak)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 20:29

S244	283	S243 AND S222	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 20:29
S245	13	S244 AND S224	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/28 20:29

**8/ 28/ 2009 10:21:30 PM****C:\ Documents and Settings\ amejia\ My Documents\ EAST\ Workspaces\ 10529925.wsp**